

# SMOOTH

OPTIMIZED FOR MATERIAL HANDLING.

The General Tire Smooth is designed for indoor applications where rolling comfort and traction is best provided by a smooth pattern on hard flat indoor surfaces.



# FEATURES & BENEFITS



SMOOTH TREAD FOR HIGH TILTING STABILITY AND REDUCED TREAD CHUNKING.



SPECIAL COMPOUND PROVIDES ENHANCED ABRASION RESISTANCE FOR HIGH MILEAGE.




CLEAN COMPOUND FOR OPTIMIZED INDOOR PERFORMANCE AND MINIMIZED FLOOR MARKINGS.

## APPLICATIONS



**INTENSITY**  
MEDIUM



**TIRE TYPE**  
PRESS-ON-BANDS  
BLACK /// CLEAN



**VEHICLE TYPE**  
FORKLIFT  
INDUSTRIAL TOW TRACTOR & TRAILER  
PALLET STACKER



**USAGE**  
INDOOR

PRESS-ON-BANDS

SMOOTH



ARTICLE NO.	DIMENSION		FORKLIFTS								OTHER VEHICLES					
	imperial	metric	10 km/h (6 mph)				16 km/h (10 mph)				6 km/h (4 mph)		10 km/h (6 mph)		16 km/h (10 mph)	
			Load		Steering		Load		Steering							
			lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg
13003110000	10X5X6 1/2	254/127-165	2227	1010	1830	830	1995	905	1676	760	2227	1010	1830	830	1676	760
13003730000	12X4 1/2X8	305/114-203	2293	1040	1885	855	2050	930	1720	780					1642	745
13003120000	14X4 1/2X8	356/114-203	2579	1170	2116	960	2304	1045	1929	875	2579	1170	2116	960	1929	875
13003750000	14X5X10	356/127-254	2943	1335	2414	1095	2635	1195	2205	1000					2105	955
13003130000	15X5X11 1/4	381/127-286	3064	1390	2524	1145	2734	1240	2304	1045	3064	1390	2524	1145	2304	1045
13003160000	16X5X10 1/2	406/127-267	3329	1510	2734	1240	2965	1345	2491	1130	3329	1510	2734	1240	2491	1130
13003170000	16X6X10 1/2	406/152-267	4222	1915	3461	1570	3770	1710	3164	1435	4222	1915	3461	1570	3164	1435
13003770000	16X7X10 1/2	406/178-267	5126	2325	4211	1910	4564	2070	3836	1740					3660	1660
13003140000	16 1/4X5X11 1/4	413/127-286	3362	1525	2756	1250	2998	1360	2524	1145	3362	1525	2756	1250	2524	1145
13003150000	16 1/4X6X11 1/4	413/152-286	4233	1920	3472	1575	3781	1715	3175	1440	4233	1920	3472	1575	3175	1440
13003190000	18X6X12 1/8	457/152-308	4619	2095	3792	1720	4123	1870	3472	1575	4619	2095	3792	1720	3472	1575
13003210000	18X7X12 1/8	457/178-308	5622	2550	4619	2095	5027	2280	4222	1915	5622	2550	4619	2095	4222	1915
13003790000	18X8X12 1/8	457/203-308	6614	3000	5456	2475	5908	2680	4960	2250					4740	2150
13003230000	21X7X15	533/178-381	6327	2870	5192	2355	5644	2560	4740	2150	6327	2870	5192	2355	4740	2150
13003250000	21X8X15	533/203-381	7463	3385	6129	2780	6658	3020	5589	2535	7463	3385	6129	2780	5589	2535
13003270000	22X8X16	559/203-406	7727	3505	6349	2880	6900	3130	5787	2625	7727	3505	6349	2880	5787	2625
13003280000	22X9X16	559/229-406	8896	4035	7308	3315	7948	3605	6669	3025	8896	4035	7308	3315	6669	3025
13003810000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225					8874	4025

SMOOTH CLEAN

ARTICLE NO.	DIMENSION		FORKLIFTS								OTHER VEHICLES					
	imperial	metric	10 km/h (6 mph)				16 km/h (10 mph)				6 km/h (4 mph)		10 km/h (6 mph)		16 km/h (10 mph)	
			Load		Steering		Load		Steering							
			lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg
13003360000	10X5X6 1/2	254/127-165	2227	1010	1830	830	1995	905	1676	760	2227	1010	1830	830	1676	760
13003370000	14X4 1/2X8	356/114-203	2579	1170	2116	960	2304	1045	1929	875	2579	1170	2116	960	1929	875
13003760000	14X5X10	356/127-254	2943	1335	2414	1095	2635	1195	2205	1000					2105	955
13003380000	15X5X11 1/4	381/127-286	3064	1390	2524	1145	2734	1240	2304	1045	3064	1390	2524	1145	2304	1045
13003390000	16 1/4X5X11 1/4	413/127-286	3362	1525	2756	1250	2998	1360	2524	1145	3362	1525	2756	1250	2524	1145
13003400000	16 1/4X6X11 1/4	413/152-286	4233	1920	3472	1575	3781	1715	3175	1440	4233	1920	3472	1575	3175	1440
13003410000	16X5X10 1/2	406/127-267	3329	1510	2734	1240	2965	1345	2491	1130	3329	1510	2734	1240	2491	1130
13003420000	16X6X10 1/2	406/152-267	4222	1915	3461	1570	3770	1710	3164	1435	4222	1915	3461	1570	3164	1435
13003780000	16X7X10 1/2	406/178-267	5126	2325	4211	1910	4564	2070	3836	1740					3660	1660
13003440000	18X6X12 1/8	457/152-308	4619	2095	3792	1720	4123	1870	3472	1575	4619	2095	3792	1720	3472	1575
13003460000	18X7X12 1/8	457/178-308	5622	2550	4619	2095	5027	2280	4222	1915	5622	2550	4619	2095	4222	1915
13003800000	18X8X12 1/8	457/203-308	6614	3000	5456	2475	5908	2680	4960	2250					4740	2150
13003480000	21X7X15	533/178-381	6327	2870	5192	2355	5644	2560	4740	2150	6327	2870	5192	2355	4740	2150
13003500000	21X8X15	533/203-381	7463	3385	6129	2780	6658	3020	5589	2535	7463	3385	6129	2780	5589	2535
13003520000	22X8X16	559/203-406	7727	3505	6349	2880	6900	3130	5787	2625	7727	3505	6349	2880	5787	2625
13003530000	22X9X16	559/229-406	8896	4035	7308	3315	7948	3605	6669	3025	8896	4035	7308	3315	6669	3025
13003820000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225					8874	4025
13003810000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225						